

KENYA WILDLIFE SERVICE

Biodiversity Research & Monitoring Division

Publications (1999-2009)

1999

- Kanga, E.M.** and Mwinyi, A.A. (1999). Survey of Ader's duiker *Cephalophus adersi* in Jozani Forest Reserve, and in Ukongororni, Charawe, Mtende, Kiwengwa and Michamvi community forests, Zanzibar. *Unpublished report, Commission for Natural Resources, Zanzibar.*
- Kock, R. A., **Wambua, J. B., Mwanzia, J.,** Wamwayi, H., Ndungu, E. K., Barrett, T., Kock, N. D., & Rossiter, P. B. (1999). Rinderpest epidemic in wild ruminants in Kenya 1993-97. *The Veterinary Record*, Vol 145, Issue 10, 275-283
- Lister, S.J., Dhanoa, M.S. **Omondi, P.** & Mueller H.I. 1999. Kenyan elephant feed preferences explored by near infrared spectroscopy. *Journal of Near Infrared Spectroscopy* 5, 99-111.
- Nasirwa, O., Oyugi, J. & **Owino, A.O.** (1999). Waterbird monitoring programme in Kenya. In A. Beintema & van Vassem, J. & (eds.): Strategies for 1998, No. 55, Wageningen: Wetlands International. Conserving migratory waterbirds, *Proceedings of 2nd International Conference on Wetlands and Development, Dakar, Senegal, 8-14 November.*
- Oyugi, J. & **Owino, A.O.** (1999). Waterbirds on Kenyan Wetlands 1998 & 1999. *Kenya Birds* 7: 98-106.
- P.le F.N. Mouton, A.F. Flemming, & **E.M. Kanga** (1999). Grouping behavior, tail-biting behaviour and sexual dimorphism in the armadillo lizard *Cordylus cataphractus* from South Africa. *Journal of Zoology*. 249: 1-10.

2000

Kanga, E.M. (2000). Survey of Aders' duiker *Cephalophus adersi* in Zanzibar. *GNUSLETTER* Vol. 19,

Kanga, E.M. and Heidi C.M. (2000). The status of Angolan black and white colobus monkeys *Colobus angolensis palliatus* in Diani forests, Kenya *African Primate* Vol. 4 Nos. 1 &2.

Nasirwa, O. & **Owino, A.O.** (2000). Waterbird counts in Kenya 1999 & 2000. *Kenya Birds* 8: 85-

2001

- Amin, R & **Okita-Ouma, B.** (2001). Kenyan Black Rhino Management System Version 1.0. pp 87. Nairobi: Kenya Wildlife Service.
- Amin, R., **Okita-Ouma, B. & Mulama, M.** (2001). Kenya implementing a new black rhino information management system. *Pachyderm*, 30, 96-97.
- Kanga, E.M.** (2001). Survey of Black and white colobus monkeys *Colobus angolensis palliatus* in Shimba Hills Reserve and Maluganji Sanctuary. *American Society of Primatology (ASP) Bulletin* Vol. 25, no. 3.
- Nasirwa, O., **Owino, A.O.**, Mungaya, E. & Wachira, J. (2001). Waterbird counts in the Rufiji Delta, Tanzania, in December 2000. *Environmental Management and Biodiversity Conservation of Forests, Woodlands, and Wetlands of the Rufiji Delta and Floodplain: Rufiji Environment Management Project. Technical Report No. 24. World Conservation Union (IUCN), Nairobi, Kenya*
- Owino, A. O.**, J. Oyugi, O. Nasirwa & L. A. Bennun (2001). Patterns of variation in waterbird numbers on four Rift Valley lakes in Kenya, 1991-1999. *Hydrobiologia* 458: 45-53.
- Owino, A.O.**, Oyugi, J., Nasirwa, O. & Bennun, L.A (2001). Patterns of variation in waterbird numbers on four Rift Valley lakes in Kenya 1991-1999. In Harper, D. & Zalewski, M. (Eds). *Ecohydrology: Science and sustainable management of tropical waters. IHP Technical Documents in Hydrology, No. 46. Pp 95-96. UNESCO, Paris.*

2002

- Kanga, E.M.** (2002). An ecological survey of small mammal (rodents and insectivores) in Arabuko-Sokoke Forest Reserve, Kenya. *Unpublished report to the Kenya Wildlife Service (KWS).*
- Kanga, E.M.** (2002). An ecological survey of small mammal (rodents and insectivores) in Arabuko-Sokoke Forest Reserve, Kenya. *Unpublished report to the Kenya Wildlife Service (KWS).*
- Kanga, E.M.** (2002). Some Ecological aspects and conservation of duikers in Arabuko-Sokoke Forest, Kenya. *MSc. Thesis, University of Nairobi.*
- Kanga, E.M.** (2002). Some Ecological aspects and conservation of duikers in Arabuko-Sokoke Forest, Kenya. *MSc. Thesis, University of Nairobi.*
- Kock, R., **Kebkiba, B.**, Heinonen, R & Bedane, B. (2002). Wildlife and Pastoral society – shifting paradigms in disease control. *Annals of New York academy of Science*, 969: 24-33.
- Kock, R., **Kebkiba, B.**, Heinonen, R & Bedane, B. (2002). Wildlife and Pastoral society – shifting paradigms in disease control. *Annals of New York academy of Science*, 969: 24-33
- Mulama, M. & Okita-Ouma, B.** (2002). Tsavo East and Ngulia rhino populations counted. *Pachyderm*, 32, 88-89.
- Nyunja J. A.**, Mavuti, K. M. & Wakwabi E. O. (2002). The Trophic Ecology of *Sardinella gibbosa* (Pisces: Clupeidae) and *Atherinomorous lacunosus* (Pisces: Atherinidae) in Mtwapa Creek and Wasini Channel, Kenya. *Western Indian Ocean Journal of Marine Sciences* 1(2): 181 – 189.
- Okita-Ouma, B. & Mulama, M.** (2002). Training in radio collar assembly, telemetry and GPS for Tsavo ecosystem rhino staff. *Pachyderm*, **32, 91-92.**
- Okita-Ouma, B. & Mulama, M.** (2002). Training in radio collar assembly, telemetry and GPS for Tsavo ecosystem rhino staff. *Pachyderm*, **32, 91-92.**
- Omondi P, Wamba E, Bitok E, Ndeere D, Manyibe T, Ogola P, Kanyingi J.** (2002b). Recent translocation of elephant family units from Sweetwaters Rhino Sanctuary to Meru National Park, Kenya. *Pachyderm* 32:39-49.
- Omondi, P., Bitok, E., & Mayienda, J.** 2002. Decline of elephants and other wildlife in Nasolot-South Turkana and Kerio Valley –Kamnarock conservation areas. *Pachyderm* 33:69–74.
- Owino A.O.** (2002). Shoreline distribution patterns of Kittlitz's Plover *Charadrius pecuarius* Temminck at Lake Nakuru, Kenya. *African Journal of Ecology* 40:393-395.
- Owino A.O.** (2002). Shoreline distribution patterns of Kittlitz's Plover *Charadrius pecuarius* Temminck at Lake Nakuru, Kenya. *African Journal of Ecology* 40:393-395.

- Owino, A. O.,** Bennun, L. A., Nasirwa, O. & Oyugi, J. (2002). Trends in waterbird numbers in southern Rift Valley of Kenya, 1991-2000. *Waterbirds* 25 (2): 191-201.
- Owino, A. O.,** Bennun, L. A., Nasirwa, O. & Oyugi, J. (2002). Trends in waterbird numbers in southern Rift Valley of Kenya, 1991-2000. *Waterbirds* 25 (2): 191-201.
- Owino, A.O. & Amutete, G.** (2002). Airport bird hazard training in Kenya: Achievements and progress. In Diatta, D. (Ed). *Proceedings of the 3rd Eastern and Southern Africa Workshop on Reduction of Bird Hazards to Aviation, 20–24 Aug. 2002, Kampala, Uganda.*
- Owino, A.O. & Amutete, G.** (2002). Airport bird hazard training in Kenya: Achievements and progress. In Diatta, D. (Ed). *Proceedings of the 3rd Eastern and Southern Africa Workshop on Reduction of Bird Hazards to Aviation, 20–24 Aug. 2002, Kampala, Uganda.*
- Owino, A.O. & Amutete, G.** (2002). Trends of bird strikes at three Kenya's airports: lessons from Kenya Airways bird strikes data, 1991-2001. In: Diatta, D. (Ed). *Proceedings of the 3rd Eastern and Southern Africa Workshop on Reduction of Bird Hazards to Aviation, 20–24 August 2002, Kampala, Uganda.*
- Owino, A.O. & Amutete, G.** (2002). Trends of bird strikes at three Kenya's airports: lessons from Kenya Airways bird strikes data, 1991-2001. In: Diatta, D. (Ed). *Proceedings of the 3rd Eastern and Southern Africa Workshop on Reduction of Bird Hazards to Aviation, 20–24 August 2002, Kampala, Uganda.*
- Owino, A.O. & Nasirwa, O.** (2002). Monitoring of waterbirds in Kenya: 2000 & 2001. *Kenya Birds* **9**: 27-31.
- Owino, A.O. & Nasirwa, O.** (2002). Monitoring of waterbirds in Kenya: 2000 & 2001. *Kenya Birds* **9**: 27-31.
- Samuel Kariuki, Gunturu Revathi, **Francis Gakuya**, Victor Yamo, Jane Muyodi and C. Anthony Hart (2002). Lack of clonal relationship between non-typhi *Salmonella* strain types from humans and those isolated from animals living in close contact. *FEMS Immunology and Medical Microbiology* 33: 165-171
- Wambwa E.N & Ogara, O.W** (2002). A point prevalence study of gastrointestinal parasites in Burchell's Zebra (*Equus burchelli antiquorum*) at Lewa Downs Ranch, Isiolo District, Kenya. *Kenya Veterinarian* 25: 44-49
- Wambwa E.N & Ogara, O.W** (2002). A point prevalence study of gastrointestinal parasites in Burchell's Zebra (*Equus burchelli antiquorum*) at Lewa Downs Ranch, Isiolo District, Kenya. *Kenya Veterinarian* 25: 44-49

- Wambwa, E.**(2002). Transboundary diseases at the wildlife/livestock interface at the Kenya-Somali border, with emphasis on rinderpest. Proceedings of the 13th symposium on tropical Animal Health Production. Oct 18, Utrecht University, Netherlands.
- Wambwa, E.**(2002). Transboundary diseases at the wildlife/livestock interface at the Kenya-Somali border, with emphasis on rinderpest. Proceedings of the 13th symposium on tropical Animal Health Production. Oct 18, Utrecht University, Netherlands.
- Wamwayi H.M., Wambwa E., Orinda G. Injairu R.M., Nyariki, T. and **Gakuya F.** (2002). Pathogenicity and transmission of wildlife-derived lineage II rinderpest virus in cattle and buffaloes. Proceedings of East African Workshop on mild rinderpest, Nairobi, Kenya. June 17-22. *African Union/Interafrican Bureau for Animal Resources*
- Wamwayi, H.M., **Wambwa, E.**, Orinda, G., Injairu, R. M., Nyariki., T., **Gakuya, F.** (2002). Pathogenicity and transmission of wildlife-derived lineage II rinderpest virus in cattle and buffalo. Proceedings of the East African workshop on mild rinderpest. June 17-19, African Union/ Interafrican Bureau for Animal Resources, Nairobi, Kenya.
- Wamwayi, H.M., **Wambwa, E.**, Orinda, G., Injairu, R. M., Nyariki., T., **Gakuya, F.** (2002). Pathogenicity and transmission of wildlife-derived lineage II rinderpest virus in cattle and buffalo. Proceedings of the East African workshop on mild rinderpest. June 17-19, African Union/ Interafrican Bureau for Animal Resources, Nairobi, Kenya.

2003

- Ferroglio E., **E. Wambwa.**, M. Castiello., A. Trisciuglio., A Prouteau., E. Pradere., **S. Ndungu.**, D. De Meneghi (2003). Antibodies to *Neospora caninum* in wild animals from Kenia. East Africa. *Veterinary Parasitology* 118: 43-49.
- Francis Gakuya**, Elizabeth Wambwa, David Ndeereh and Thomas Manyibe (2003). Physiologic and hematologic findings in free-ranging African elephants (*loxodonta africana*). *Pachyderm* 35 (July-December): 77-81.
- Gakuya, F., Wambwa, E., Ndeereh, D., Manyibe, T.**, (2003). Physiological & hematological findings in immobilized free-ranging African Elephants. *Pachyderm* 35: 77-81.
- Kanga, E.M.** (2003). Ecology and Conservation of duikers in Arabuko-Sokoke Forest Reserve, Kenya. In Ecology and Conservation of small antelopes (Ed. By Plowman, A.B) pp 155-156. *Furth: Filander Verlag*.
- Owino, A.O.** (2003). Monitoring of waterbirds in Kenya: 2001 & 2002. *Kenya Birds* 10: 27-28.
- Webala, P. and Kanga, E.M.** (2003). Distribution, Density and Conservation Status of Small mammals in Meru National Park, Kenya – Phase-I, *Unpublished report to Kenya Wildlife Service*.

2004

- Amwata D, **Omondi P.** & **Bitok, E.** (2006). Human-wildlife conflict in Mochongoi Forest, Baringo, Kenya: a case study of elephants. *Pachyderm* 41:69–74.
- Francis Gakuya, Isaac Lekoolol,** Thomas Manyibe and Elizabeth Wambwa (2005). Mass capture and translocation of Bohor Reedbuck from an agricultural holding to several conservation areas in Kenya. Re-introduction News in the Newsletter of the Re-introduction. Specialist Group of IUCN's Species Survival Commission (SSC) ISSN 1560-3709: 21-22.
- Kanga, E. M.** and Webala, P. (2004). An ecological survey of small mammal (rodents and insectivores) in Amboseli National Park, Kenya. *Unpublished report to the Kenya Wildlife Service (KWS).*
- Kanga, E. M.** and Webala, P. (2004). An ecological survey of small mammal (rodents and insectivores) in Amboseli National Park, Kenya. *Unpublished report to the Kenya Wildlife Service (KWS).*
- Kanga, E. M.** and Webala, P. (2004). An ecological survey of small mammal (rodents and insectivores) in Amboseli National Park, Kenya. *Unpublished report to the Kenya Wildlife Service (KWS).*
- Mavuti, K. M., **Nyunja, J. A.** & Wakwabi, E.O. (2004). Trophic Ecology of Common Fish Species in Mtwapa Creek, Kenya. *Western Indian Ocean Journal of Marine Sciences* 3 (2): 179 – 187.
- Okita-Ouma, B.** (2004). Population Performance of Black Rhinoceros (*Diceros bicornis michaeli*) in Six Kenyan Rhino Sanctuaries. [MSc] pp. xix + 112. *Canterbury: University of Kent.*
- Omondi, P., Bitok, E.** & **Kagiri, J.** (2004). Managing human–elephant conflicts: the Kenyan experience. *Pachyderm* 36:80–86.
- Owino, A.O.** (2004). Monitoring of waterbirds in Kenya 2002 & 2003. *Kenya Birds* 11 (1): 37-38.
- Owino, A.O.** (2004). Monitoring of waterbirds in Kenya 2002 & 2003. *Kenya Birds* 11 (1): 37-38.
- Owino, A.O.** (2004). Monitoring of waterbirds in Kenya 2002 & 2003. *Kenya Birds* 11 (1): 37-38.
- Owino, A.O.,** Biwott, N. & Amutete, G. (2004). Bird strike incidents involving Kenya Airways flights at three Kenyan airports, 1991–2001. *African Journal of Ecology* 42:122-128.
- Owino, A.O.,** Biwott, N. & Amutete, G. (2004). Bird strike incidents involving Kenya Airways flights at three Kenyan airports, 1991–2001. *African Journal of Ecology* 42:122-128.
- Owino, A.O.,** Biwott, N. & Amutete, G. (2004). Bird strike incidents involving Kenya Airways flights at three Kenyan airports, 1991–2001. *African Journal of Ecology* 42:122-128.

2005

Owino, A.O. (2005). Papyrus swamp habitat loss and degradation: Impacts on endemic birds in Kenya.

MSc Thesis, University of Cape Town, South Africa.

Owino, A.O. (2005). Shrinking papyrus swamps in Kenya. *Birds & Birding* 10 (3): 23

2006

- Amin, R., **Okita-Ouma, B.**, Adcock, K., Emslie, R., **Mulama, M.** & Pearce-Kelly, P. (2006). An integrated management strategy for the conservation of the Black Rhino in Kenya. *International Zoo Yearbook* 40: 118-129.
- Kioko, J., Kiringe, J. & **Omondi, P.** (2006a). Human–elephant conflict outlook in the Tsavo-Amboseli ecosystem, Kenya. *Pachyderm* 41:53–60.
- Kyale, D.M.** (2006) Assessing spatial and temporal patterns of human-caused elephant mortality in Tsavo East National park, Kenya. <http://www.ohiolink.edu/>
- Ogola, P. & **Omondi P.** (2005). Demography of a confined elephant population and the potential consequence of translocation: the case of Sweetwaters Game Reserve, Kenya. *Pachyderm* 39: 57-63.
- Okita-Ouma, B. & Wandera, A.** (2006): Status and management of black rhino in Kenya 2005–2006: Kenyan black rhino status report summary. Unpublished report. Nairobi: Kenya Wildlife Service.
- Owino, A.O.** & Ryan, P. (2006). Habitat associations of papyrus specialist birds at three papyrus swamps in western Kenya. *African Journal of Ecology*. 44: 438-443.
- Webala, P. W., Muriuki, G., Lala, F. & Bett, A. (2006). The small mammal community of Mukogodo Forest, Kenya. *African Journal of Ecology* 44, 363–370

2007

- Cerling, T.E., **Omondi, P.** & Macharia, A.N. (2007). Diets of Kenyan elephants from stable isotopes and the origin of confiscated ivory in Kenya. *African Journal of Ecology* 45, 614–623.
- Lucy, V., Bradley-Martin, E., & **Okita-Ouma, B.** (2007). Increased demand for rhino in Yemen threatens eastern Africa's rhinos. *Pachyderm*, 43, 73-86.
- Muoria P., Muruthi, P., Kariuki, W.K., Hassan, B. A., **Mijeje, D.** & Oguge, N (2007) Anthrax outbreak among Grevy's Zebra in Samburu, Kenya. *African Journal of Ecology* 45: 483-489
- Obanda, V & Gakuya, F** (2007). Parasites in captive carnivores at the animal Orphanage in Kenya. *Kenya Veterinarian* 31 (2): 59-63.
- Obanda, V., Lekolool, I., Kariuki, J & Gakuya, F** (2007). Composition of intestinal ciliate fauna of free-ranging African elephants in Tsavo West National Park, Kenya. *Pachyderm* 42: 92-96
- Okita-Ouma, B. & Omondi, P.** (2007). Conservation strategy for black rhinos and management guidelines for white rhinos launched in Kenya. *Pachyderm*, 43, 117-119.
- Okita-Ouma, B.,** Amin, R. & Kock, R. (Eds) (2007). Conservation and Management Strategy for the Black Rhino and Management Guidelines for the White Rhino in Kenya – 2007-2011. *Kenya Wildlife Service Document. Pp 70. Nairobi Kenya.*
- Okita-Ouma, B.,** Amin, R., Adcock, K., Emslie, R., Pearce-Kelly, P. & Kock, R. (2007). A positive turning point in black rhino conservation in Kenya; background and review of the strategic plan and actions 2001-2006. pp 79. *Kenya Wildlife Service, Nairobi.*
- Owino, A.O.** & Ryan, P. (2007). Recent papyrus habitat loss and conservation implications in western Kenya. *Wetlands Ecology and Management*. 15: 1-12.

2008

- Amutete, G., **Owino, A.O.** & Froneman, A. (2008). Challenges and opportunities for bird hazard mitigation strategies in Africa: Airport bird hazard control capacity building programmes in Kenya. *Proceedings of the 12th Pan-African Ornithological Congress, 7-12 September 2008, Cape Town, South Africa.*
- Evans, A, **Gakuya, F.**, Paweska, J. T., Rostal, M. 1., Akoolo, L. 4;., Van Vuren, P. J., **Manyibe, T.**, 2; Macharia, J. M., Ksiazek, T. G., Feikin, D. R., Breiman, R. F., **Njenga, M. Kariuki.** (2008). Prevalence of antibodies against Rift Valley fever virus in Kenyan Wildlife. *Epidemiology & Infection.* 136(9):1261-1269
- Kenana, L., Owino, A., Mwinzi, C., Lesale, J. & Muli S.** (2008). Feasibility Assessments for Community Conservation Areas in Kajiado District, Kenya: Mbilin, Engirrigiri and Kipeto. *Research Reports of the Southern Conservation Area, Kenya Wildlife Service*
- Kioko, J., Muruthi, P., **Omondi, P.** Chiyo, P.I. (2008). The performance of electric fences as elephant barriers in Amboseli, Kenya. *South African Journal of Wildlife Research* 38(1):52-58. 2008
- Lumbasi, J., Okita-Ouma, B., Wandera, A., & Omondi, P.** (2008). Population Survey of Spotted Hyena *Crocuta crocuta* in Aberdare National Park- Kenya.
- Obanda, V., Gakuya, F., Lekolool, I., Chege S., B. Okita & Manyibe, T.**(2008). Ciliated intestinal protozoa of black (*Diceros bicornis michaeli*) and white rhinoceroses (*Ceratotherium simum simum*) in Kenya. *African Journal of Ecology* 46 (2): 144-148
- Obanda, V., Ndeereh, D., Mijele, D., Lekolool, I., Chege, S & Gakuya, F.** (2008) Injuries of free ranging African elephants (*Loxodonta africana africana*) in various ranges of Kenya. *Pachyderm* 44: 54 -58.
- Okello, J.B.A., Masembe, C., Rasmussen, H.B., Wittemyer, **G., Omondi, P.**, Kahindi, O., Muwanika, V.B., Arctander, P., Douglas-Hamilton, I., Nyakaana, S. & Siegismund, H.R. (2008). Population Genetic Structure of Savannah Elephants in Kenya: Conservation and Management Implications. *Journal of Heredity*: Vol 99 : 443-453.
- Okita-Ouma, B., Mijele, D., Amin, R., Gakuya, F., Ndeereh, D., Lekolool, I., Omondi, P., Woodley, D., Litoroh, M. and Kock, R.** (2008). Minimizing competition by removing elephants from a degraded Ngulia rhino sanctuary, Kenya. *Pachyderm*, 44, 80-87
- Owino, A.O.** & Oyugi, J.O. (2008). Assessment of some aspects of conservation biology of papyrus endemic passerines in Kenya. *Scopus* 28: 25-30.

Owino, A.O., Amutete, G., Mulwa, R.K. & Oyugi, J.O. (2008) Forest patch structures and bird species composition of a lowland riverine tropical forest in Kenya. *Tropical Conservation Science* 1 (3):242-264.

Paweska, T.J., Jansen van Vuren, P., Kemp, A., Buss, P., Bengis, G.R., **Gakuya, F.**, Breiman, F.R., **Njenga, M.K.**, & Swanepoel, R (2008). Recombinant nucleocapsid-based ELISA for detection of IgG antibody to Rift Valley fever virus in African buffalo. *Veterinary microbiology* 127: 21-28

2009

- Bouillon, S., Abril, G., Borges, A.V., Dehairs, F., Govers, G., Hughes, H., Merckx, R., Meysman, F.J.R., **Nyunja, J.**, Osburn, C. & Middelburg, J.J. (2009). Distribution, origin and cycling of carbon in the Tana River (Kenya): a dry season basin-scale survey from headwaters to the delta. <http://www.biogeosciencesdiscuss.net/6/5959/2009/>
- Ngene, S. M. & Omondi, P.O.M.** (2009). The costs of living with elephants in the areas adjacent to Marsabit National Park and Reserve. *Pachyderm* 45: 77-87.
- Ngene, S.M.**, Skidmore, A.K., Gils, H.V., Douglas-Hamilton, I. & **Omondi, P.** 2009. Elephant distribution around a volcanic shield dominated by a mosaic of forest and savanna (Marsabit, Kenya). *African Journal of Ecology* 47: 234-245.
- Nyunja, J.** Ntiba, M., Onyari, J., Mavuti, K., Soetaert, K. & Bouillon, S. 2009. Carbon sources supporting a diverse fish community in a tropical coastal ecosystem (Gazi Bay, Kenya). *Estuarine, Coastal and Shelf Science* 83 : 333–341.
- Owino, A.O. & Oyugi, J.O.** (2009). *Directory of Conservation Funding Sources for Developing Countries: Conservation Biology, Education & Training, Fellowships & Scholarship Awards*. Nova Science Publishers, Inc, New York, USA.

Manuscripts in preparation/submitted/in press

- Bowkett, A.E., de Vere, N., Schrodtt, F., Neelakantan, A., Jackson, C., Plowman, A.B. & **Kanga, E.M.** (In press). Habitat requirements of Aders' duiker in the Arabuko-Sokoke Forest, Kenya, as derived from indirect field signs and camera-trap records. In *Proceedings of the EAZA Research Symposium*. E. Zgrabczyńska, E., Ćwiertnia P. & Ziomek, J. (editors). Zoological Garden in Poznan , Poland.
- De Waen D., **Nyunja, J.**, Vanreusel, A. & Bouillon. S. (Submitted). Community structure and trophic relations in an East-African coupled mangrove-seagrass ecosystem. *Marine Biology*.
- Kanga, E.M.**, Ogutu, J., and Olf, H. (2009). A spatio-temporal analysis of hippopotamus *Hippopotamus amphibius* conflicts with people in changing landscapes across Kenya. *African Journal of Ecology* (reviewers comments being addressed).
- Kanga, E.M.**, Ogutu, J., and Olf, H. (2009). Effects of Hippopotamus piosphere and livestock grazing on the use of a riparian habitat by different-sized herbivores in Masai Mara, Kenya. *Animal Conservation* (submitted).
- Kanga, E.M.**, Ogutu, J., Olf, H. and Santema, P. (*in preparation*). Population trends, demography and distribution of Hippopotamus *Hippopotamus amphibius* in the Mara region of Kenya: A Departure from sympatric megaherbivores.
- Maclean, I.M.D., Hassall, M. Boar, R.R., **Owino, A.** & Bird, J. (2009). Wetland loss in East Africa and the conservation status of papyrus avifauna. *Oryx* (Submitted).
- Obanda, V., Gakuya, F., Kagira, J., Chege, S., Manyibe, T. & Okita-Ouma, B.** (2009). Multi stressor factors in association with clinical trypanosomiasis in translocated black and white rhinoceroses. *Pachyderm* (*Accepted forthcoming*).
- Okita-Ouma, B.**, Amin, R. Langevelde, F. van & Leader-Williams, N. (2009). Density dependence and population dynamics of black rhinos (*Diceros bicornis michaeli*) in Kenya's rhino sanctuaries. (*Accepted July 2009 in African Journal of Ecology*).
- Owino A.O.** & Oyugi, J.O. (2009). Species concepts and biodiversity conservation: An overview of basic taxonomic diagnosis. *Ecological Monographs* (submitted).
- Owino, A.O & Kenana, L.M.** (*in preparation*). Wetlands and wildlife conservation linkages: The Kenya perspectives.
- Owino, A.O, Kenana, L.M. & Omondi, P.O.** (2009). Patterns of variation of mega-herbivore populations at Nairobi National Park, Kenya, 1990-2008. *South African Journal of Wildlife Research* (submitted).

- Owino, A.O. & Nasirwa, O.** (*in preparation*). Sustaining a robust biodiversity monitoring scheme: Waterbird monitoring techniques for Kenya's wetland ecosystems.
- Owino, A.O. & Oyugi, J.O.** (2009). Assessment of forest patches extents' and land cover changes in the Lower Tana River, Kenya, 1994-2004. *African Journal of Ecology*. (Accepted forthcoming)
- Owino, A.O.** (*in preparation*). Kenya birds – E-guide for learning institutions, tour operators and conservation organizations.
- Oyugi, D.O., Mwelu, E., Nyamasyo, S., Moindi, D. & Owino, A.O.** (*in preparation*). Habitat resource utilization by wildlife on the riparian habitats of an Afrotropical lake – Lake Naivasha, Kenya.
- Selewski, V., **Owino, A.O.**, Childress, B. & **Nyunja, J.** (*in preparation*). Interconnectivity of flamingo lakes in Africa. Tracking Lesser Flamingo *Phoeniconaias minor* movements using satellites in eastern Africa.